





## レクサス

セダン			駆動方式	年式	PCD	F	R	FRONT								REAR			
								286	304	330	356	380	405	430	330	356	380	405	
DX-LE S-1	GS300	JZS160L/UZS160L	2WD	98~05	5×114.3	○	○	-	-	○	○	○	○	○	○	○	○	○	
DX-LE S-2-A	GS350/GS430	URS190	2WD	05~12	5×114.3	○	○	-	-	○	○	○	○	○	○	○	○	○	
DX-LE S-2-B	GS460/GS450h	GRS191/GWS191	2WD	12~UP	5×114.3	○	○	-	-	○	○	○	○	○	○	○	○	○	
DX-LE S-3	GS350	GRL10/AWL10	2WD	05~12	5×114.3	○	○	-	-	○	○	○	○	○	○	○	○	○	
DX-LE S-4-A	GS350	GWL10	4WD	05~12	5×114.3	○	○	-	-	○	○	○	○	○	○	○	○	○	
DX-LE S-4-B	LS400	UCF10L	2WD	89~94	5×114.3	○	○	-	-	○	○	○	○	○	○	○	○	○	
DX-LE S-5		UCF20L	2WD	94~00	5×114.3	○	○	-	-	○	○	○	○	○	○	○	○	○	
DX-LE S-6-A	LS430	UCF30L	2WD	00~06	5×114.3	○	○	-	-	-	-	○	○	○	-	○	○	○	
DX-LE S-6-B	LS460	USF40/USF41	2WD	06~12	5×120	○	○	-	-	-	-	○	○	○	-	○	○	○	
DX-LE S-7		USF45/USF46	4WD	06~12	5×120	○	○	-	-	-	-	○	○	○	-	○	○	○	
DX-LE S-8	LS600	UVF45/UVF46	AWD	06~12	5×120	○	○	-	-	-	-	○	○	○	-	○	○	○	
DX-LE S-9	SC300/SC400	JZZ31	2WD	91~00	5×114.3	○	○	-	-	○	○	○	○	○	○	○	○	○	
DX-LE S-10-A	SC430	UZZ40	2WD	01~05	5×114.3	○	○	-	-	○	○	○	○	○	○	○	○	○	
DX-LE S-10-B	IS250/IS350	GSE20	2WD	09~13	5×114.3	○	○	-	-	○	○	○	○	○	○	○	○	○	
		GSE30/AVE30	2WD	13~UP	5×114.3	○	○	-	-	○	○	○	○	○	○	○	○	○	

WAGON			駆動方式	年式	PCD	F	R	FRONT								REAR			
								286	304	330	356	380	405	430	330	356	380	405	
DX-LE W-1	RX330	ACU30/MCU30	2WD	03~09	5×114.3	○	○	-	-	-	○	○	○	○	-	○	○	○	
DX-LE W-2	RX270	GSU30W AGL10W ※前期	2WD	09~12	5×114.3	○	○	-	-	-	○	○	○	○	-	○	○	○	

## ホンダ

SEDAN			駆動方式	年式	PCD	F	R	FRONT								REAR			
								286	304	330	356	380	405	430	330	356	380	405	
DX-HO S-1	レジェンド	KA9	2WD	96~04	5×114.3	○	○	-	-	-	○	○	○	○	-	○	○	○	
DX-HO S-2	シビック	EG6 ※フロントディスク外形262mm	2WD	91~95	4×100	○	-	○	○	○	○	○	○	○	-	-	-	-	
WAGON K-CAR			駆動方式	年式	PCD	F	R	FRONT								REAR			
								286	304	330	356	380	405	430	330	356	380	405	
DX-HO W-1	エリシオン	RR1/RR3/RR5	2WD	08~UP	5×114.3	○	○	-	-	○	○	○	○	○	-	○	○	○	
DX-HO W-2-A	N BOX	JF1 ※ブレーキホース 取付け部加工必要	2WD	11~UP	4×100	○	-	○	○	-	-	-	-	-	-	-	-	-	
DX-HO W-2-B		JF2 ※ブレーキホース 取付け部加工必要	4WD	11~UP	4×100	○	-	○	○	-	-	-	-	-	-	-	-	-	
DX-HO W-3-A	N ONE	JG1 ※ブレーキホース 取付け部加工必要	2WD	12~UP	4×100	○	-	○	○	-	-	-	-	-	-	-	-	-	
DX-HO W-3-B		JG2 ※ブレーキホース 取付け部加工必要	4WD	12~UP	4×100	○	-	○	○	-	-	-	-	-	-	-	-	-	
DX-HO W-4-A	S-MX	RH1	2WD	96~02	5×114.3	○	○	-	-	○	○	○	○	○	-	○	○	○	
DX-HO W-4-B		RH2	4WD	96~02	5×114.3	○	○	-	-	○	○	○	○	○	-	○	○	○	
DX-HO W-5-A	オデッセイ	RA6/RA8	2WD	99~03	5×114.3	○	○	-	-	○	○	○	○	○	-	○	○	○	
DX-HO W-5-B		RA7/RA9	4WD	99~03	5×114.3	○	○	-	-	○	○	○	○	○	-	○	○	○	
DX-HO W-5-C		RB1/RB3	2WD	03~UP	5×114.3	○	○	-	-	○	○	○	○	○	-	○	○	○	













## クライスラー

SEDAN/WAGON			駆動方式	年式	PCD	F	R	FRONT								REAR			
								286	304	330	356	380	405	430	330	356	380	405	
DX-CH S-1	300/300C	LX35/LE35T	2WD	04~11	5×115	○	○	-	-	-	○	○	○	○	-	○	○	○	
DX-CH S-2	PT Cruiser	LX57/LE57T	2WD	00~10	5×100	○	-	-	-	-	○	○	○	○	-	-	-	-	

## ダッジ

SEDAN/WAGON			駆動方式	年式	PCD	F	R	FRONT								REAR			
								286	304	330	356	380	405	430	330	356	380	405	
DX-DO S-1	チャージャー		2WD	05~UP	5×115	○	○	-	-	-	○	○	○	○	-	○	○	○	

## フォード

SEDAN/WAGON			駆動方式	年式	PCD	F	R	FRONT								REAR			
								286	304	330	356	380	405	430	330	356	380	405	
DX-FO	MASTAUNG		2WD	05~UP	5×115	○	○	-	-	-	○	○	○	○	-	○	○	○	